



FOT-7.0-J-TLY6303

- 1.1
- 1.2
- 1.3
- 1.4
 - 1.4.1
 - 1.4.2
 - 1.4.3

- 2.1 TF SIM
- 2.2
 - 2.2.1
 - 2.2.2
 - 2.2.3
- 2.3

- 3.1
- 3.2 USB
- 3.3
- 3.4
- 3.5
- 3.6 GPRS

- 4.1
- 4.2
- 4.3
- 4.4
 - 4.4.1
 - 4.4.2
- 4.5
- 4.6
 - 4.6.1
 - 4.6.2
 - 4.6.3
 - 4.6.4
 - 4.6.5
 - 4.6.6
 - 4.6.7
 - 4.6.8
 - 4.6.9
 - 4.6.10
 - 4.6.11
- 4.7
 - 4.7.1
 - 4.7.2
 - 4.7.3 02/04
 - 4.7.4

1.1

7

-

RFID / 4G USB RESAM ISO7816
ESAM 2013

7

1.2



" " " "

" "

1.3

64	1.5GHz/1.8 GHz
RAM LPDDR3 3GB ROM EMMC 32GB	
Android 5.1	
	TD-LTE/FDD-LTE TD-SCDMA/WCDMA CDMA2000/GPRS 4G/3G/2G
WIFI	WIFI
	1) Bluetooth4.0 10m 2) RFID
1) 7 2)	1280× 800
1) 5 2) 95%	7 3000
	(, MIC
TF	32G
1) GPS AGPS 5m 2) 0.1μ s 3) 60s	GPS GPS GLONASS
	Micro USB 2.0

	800
	LED
	1) 3.7V 7000mAh 2) 200 10 3) 2A 4) GB/31241-2014
	<3
	1 RS232/RS485 , RS485 16
	0.5s/d
	1.2m
	IP65
	1) GB/T 17626.2-2006 2) GB/T 17626.8-2006 3) GB/T 17626.3-2006
	GB/T 5169.11—2006 10
	-30 60
	-35 65
	5% 95%
	600g
	220* 140* 43
	1 USB 1
	UPC/EAN UPC/EAN UCC. EAN 128 JAN 8 & 13 Code 39


	Code 39 Full ASCII Code 39 Trioptic Code 128 Code 128 Full ASCII Codabar (NW7) Interleaved 2 of 5 Discrete 2 of 5 Code 93 MSI Code 11 Code 32 Bookland EAN IATA UCC/EAN RSS RSS
	PDF417 microPDF417 Maxi Code, DataMatrix (ECC 2000) Composite Codes QR Code
	1 38± 1kHz 2 940nm 3 DL/T645-1997 DL/T645-2007
	1 980nm 7mW 2 650nm 5mW 3 FFP ± 2.5° FFP ± 2.5°
	1 13.56MHz 2 ISO/IEC14443-1

RFID

- 2) RS485 RS232
- 3) USB

1-2

2.1 TF



2-2

2.2

2.2.1


1

3


2-3

2

2-4



2-3



2.2.2

1

3

2-5

2



2-5

2.2.3

2.3

USB

USB

DC

DC

3.1



3-1

3.2 USB

"

-

"

USB

3-2




3.3

GPS

" — " 3-3 /

GPS



3-3

3.4


- 1) — " " —
- 2)



3-4


3.5

3-5




3-5

3.6 GPRS



3-6 APN



3-7

APN



3-8

4.1

4.1.1

- 1 apk
- 2 apk
- 3 PP PC

4.1.2

- 1 " " " "
- 2 PC

4.2

111111)

(




4-1

5 " 5

" " "

4.3



4-2

4.4

4.4.1


-



4-5

2

4-6



4-6

4-7

4-8


2

4-9

4

4-10

" "



4-10

4.5

USB

4.6

4.6.1

" - "



4-11

4.6.2

" - "


4-12



4-12

4.6.3

4-13



4-13

13

ESAM

4.6.4

4-14



4-14

13

ESAM

4.6.5

4-15



4-15

4.6.6

" - "

4-16



4-16

13

ESAM

4.6.7

" - "

4-17



4-17

13

ESAM



F0T-7.0-J-TLY6303

4.6.8

" -

4.6.10

" - "

4-20




4-20

4.6.11

" - "

4-21



4-21

4.7

4.7.1

-



4-22

485

485

4.7.2

4-23



4.7.3 02/04



F0T-7.0-J-TLY6303

9 :

10 :

11 :

12 :

5.2

1 :

2 :

PDA

95598

5.3

1 :

2 :

5.4

1

2

3

4

5

6

7

8 : GPS
GPS GPS

9 GIS

10

11 :

12