



DJTD(H)XX-TLY2210

(Ver1.1)

审核：姜威

审批：马华超

受控日期：03/08/2024



1	1
2	1
3	2
4	4
5	6
6	6

1

DJTD(H)XX-TLY2210 I ()
I 2022

RS485
4G GPRS CDMA RS232 Ethernet

2

2.1

1 -40 +70
2 63.0kPa 108.0kPa(4000m)

2.2

3× 220V/380V 50Hz± 6%
-70% 40%

2.3

0.015-0.075(6)A

2.4

C 2.0

2.7

1

	RS485	2	
	CAN	1	
		1	
			1
	RS232	1	
	4G/GPRS/CDMA		1
			1
	USB	1	
		1	
		2	
		1	
	3		
	12V	1	

3

3.1

3.2

3.3

3.4

Q/GDW 10354—2020

3.5

1h

3.6

1h

3.7

C

2.0

3.8

3.9

/


3.10

RS-485

DL/T 645

4

1



2



3

1	A	11		21	+
2	A	12		22	-
3	A	13	1+	23	
4	B	14	1-	24	
5	B	15	2+	25	
6	B	16	2-	26	
7	C	17	CAN +	27	RS-485 II A
8	C	18	CAN -	28	RS-485 II B
9	C	19	12V +	29	RS-485 I A
10		20	12V -	30	RS-485 I B

2

5

-40 +70

95%

485

485

SIM

SIM

SIM

6

18

24





6.818.189

审核：姜威

审批：马华超

受控日期：03/08/2024